




ABOVE ALL DOUBLE KNEE PANTS - Style #AADKP


AM 475 - FA2022, Men's, FA2022, 2022-2023

Summary



Name	ABOVE ALL DOUBLE KNEE PANTS
Style No.	AADKP
Description	Incorporating Tough Cotton technologies allows for extra abrasion resistance against any rough prosthetics, and invisible zipper along side seam and inseam for easy access to ones prosthetic
Division	AM 475 - FA2022
Category	Men's
Season	FA2022
Year	2022-2023
Size Scale	32 -Sample size <input type="checkbox"/> 28 <input type="checkbox"/> 30 <input type="checkbox"/> 32 <input type="checkbox"/> 34 <input type="checkbox"/> 36 <input type="checkbox"/> 38 <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44
Created by/Author	12/13/2022 darius vanvelkinburgh vanvelkinburgh.darius@gmail.com

ABOVE ALL DOUBLE KNEE PANTS



1. 

SWIRL PRINT
Custom Code: DV1021
Int. Code: Not Set
Ext. Code: Not Set



2. 


OLIVE GREEN
Custom Code: 5C694D
Int. Code: Not Set
Ext. Code: Not Set



ABOVE ALL DOUBLE KNEE PANTS - Style #AADKP

AM 475 - FA2022, Men's, FA2022, 2022-2023

Color Variants



3.



STONE BLACK
Custom Code: 3A3A3A
Int. Code: Not Set
Ext. Code: Not Set




Instagram progile pic_Colorway A_8-1



Instagram progile pic_Colorway A Copy 2_8-1



Instagram progile pic_Colorway A Copy 3_1-1




Components (2)

B1 White Denim

B2 White Denim


Instagram profigle pic_Colorway A Copy 3_5-1



Components (4)

- B1** White Denim
- B2** White Denim
- B3** White Denim
- B4** White Denim

Instagram profile pic_Colorway A Copy 3_3-1



Construction Details (10)

- C1** Invisible Zipper
- C2** Invisible Zipper
- C3** Invisible Zipper
- C4** Invisible Zipper
- C5** Invisible Zipper
- C6** Invisible Zipper
- C7** 301 topstitch
- C8** Double Needle Top Stitch
- C9** 301 topstitch
- C10** 301 topstitch


Instagram profile pic_Colorway A Copy 2_10-1



Points of measure (1)

D1 Skirt/Pant Yoke Depth Back

Instagram progile pic_12-1



Points of measure (8)

- D1** Front Rise
- D2** Inseam
- D3** Waistband Width Circumference (woven)
- D4** Waistband Depth
- D5** Pocket Opening Within a Seam
- D6** Knee Width
- D7** Bottom Hem
- D8** fly length

Instagram progile pic_9-1




30x30


back tag-1



render_2518-1



render_8498-1




















2d556f84b95fedaaf1fee1c84712b487-1



ABOVE ALL DOUBLE KNEE PANTS - Style #AADKP

AM 475 - FA2022, Men's, FA2022, 2022-2023

BOM > Set 1 of 1


THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. SWIRL PRINT CODE: DV1021	2. OLIVE GREEN CODE: 5C694D	3. STONE BLACK CODE: 3A3A3A
MATERIALS								
1	 White Denim CODE: WD001 Supplier: Factory Supplied Content (Fiber Content): 100% Cotton Fabric Width: 60" Weight (GSM): 340 Finishes: N/A Dye Method: Piece Dyed Size: N/A AM 475 - Developer's Name: Darius Vanvelkinburgh	3 /yd		Approved	China	- White Denim-WD001 n/a Price: \$2	- White Denim-WD001 n/a Price: \$2	- White Denim-WD001 n/a Price: \$2
TRIMS								
2	 100% Cotton Thread Lehnhausen CODE: k0kLd Supplier: Factory Supplied Content (Fiber Content): 100% cotton Fabric Width: 48" Finishes: NA Dye Method: Piece Dyed Size: NA AM 475 - Developer's Name: Lehnhausen			In Development	China	-  0000 DTM Custom Code: 0000DTM Price: \$0.55	-  0000 DTM Custom Code: 0000DTM Price: \$0.55	-  0000 DTM Custom Code: 0000DTM Price: \$0.55
3	 Jean Button - Cunningham CODE: L9853 Supplier: To Be Determined Content (Fiber Content): Brass, Metal Dye Method: N/A Size: 9.5mm AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces		In Development	China	-  Gold Price: \$0.05	-  Gold Price: \$0.05	-  Gold Price: \$0.05
4	 Antique Brass Snaps - Martens CODE: KhJ6F Supplier: To Be Determined Content (Fiber Content): metal Dye Method: N/A Size: 15mm	8 /Pieces		In Development	China	-  Antique Bronze Custom Code: 17-1028 TCX - martens Price: \$0.05	-  Antique Bronze Custom Code: 17-1028 TCX - martens Price: \$0.05	-  Antique Bronze Custom Code: 17-1028 TCX - martens Price: \$0.05
5	 #8 Nylon Zipper CODE: 0789-YKK8 Supplier: YKK Content (Fiber Content): Nylon Finishes: White Dye Method: N/A Size: #7 AM 375 - Team Name - Fall 2022 Components: Team 3 - Ember	1 /Pieces		In Development	China	-  DTM Price: \$0.88	-  DTM Price: \$0.88	-  DTM Price: \$0.88

**ABOVE ALL DOUBLE KNEE PANTS - Style #AADKP**

AM 475 - FA2022, Men's, FA2022, 2022-2023

BOM > Set 1 of 1

THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. SWIRL PRINT CODE: DV1021	2. OLIVE GREEN CODE: 5C694D	3. STONE BLACK CODE: 3A3A3A	
6	 INVISIBLE ZIPPER CODE: IZ001 Supplier: Factory Supplied Content (Fiber Content): NYLON Finishes: N/A Dye Method: Piece Dyed Size: 34 INCHES AM 475 - Developer's Name: DARIUS VANVELKINBURGH			Approved		 DTM Custom Code: 000002 Price: \$0.02	 DTM Custom Code: 000002 Price: \$0.02	 DTM Custom Code: 000002 Price: \$0.02	
PACKAGING/LABELS									
7	 Shipping Box CODE: SB0001 Supplier: Factory Supplied Finishes: N/A Dye Method: N/A Size: 6x3x9 AM 475 - Developer's Name: Darius Vanvelkinburgh	1 /Pieces		Approved	China	 - Shipping Box- SB0001 n/a Price: \$0.1	 - Shipping Box- SB0001 n/a Price: \$0.1	 - Shipping Box- SB0001 n/a Price: \$0.1	
8	 Hang Tag D&F CODE: HT0002 Supplier: Factory Supplied Content (Fiber Content): Paper Finishes: N/A Dye Method: N/A Size: 2x4 AM 475 - Developer's Name: Darius Vanvelkinburgh	1 /Pieces		Approved	China	 - Hang Tag D&F- HT0002 n/a Price: \$0.05	 - Hang Tag D&F- HT0002 n/a Price: \$0.05	 - Hang Tag D&F- HT0002 n/a Price: \$0.05	
9	 Jeans Size Label CODE: JSL001 Supplier: Factory Supplied Content (Fiber Content): 100% Cotton Finishes: N/A Dye Method: N/A Size: 2x1 AM 475 - Developer's Name: Darius Vanvelkinburgh	1 /Pieces		Approved	China	 - Jeans Size Label- JSL001 n/a Price: \$0.05	 - Jeans Size Label- JSL001 n/a Price: \$0.05	 - Jeans Size Label- JSL001 n/a Price: \$0.05	
Components 9						Total \$7.53	Total \$7.53	Total \$7.53	



107.

Front Rise



105.

Inseam



106.

Outseam




83.

Waistband Width Circumference (Woven)



81.

Waistband Depth




112.


Knee Width Circumference (Woven)




Skirt/Pant Yoke Depth Back



DOUBLE KNEE PANEL HEIGHT



ZIPPER FOR DOUBLE KNEE PANEL



108.
Back Rise



Sample Size: 32

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	28	30	32	34	36	38	40	42	44
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in	-1/4 in	-1/4 in	11 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in	-1/2 in	-1/2 in	28 1/2 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in	-1/2 in	-1/2 in	39 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	1 in	-2 in	-2 in	34 1/2 in	2 in	2 in	2 in	2 in	2 in	2 in
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in	0 in	0 in	2 1/2 in	0 in	0 in	0 in	0 in	0 in	0 in
Knee Width Circumference (Woven)	112	Measure from pant leg edge/seam to pant leg edge/seam at a point one-half of inseam and parallel to leg opening. Reporting half of the circumference measurement. (Note 1: If leg opening is asymmetrical, measure to a point that would be parallel to leg opening. Note 2: If pant leg is three-quarter length, indicate point of measure on spec sheet. Note 3: A general knee measurement from crotch seam of misses/women's 14", juniors 13", or large/plus women's sized 15" can be used. Indicate change on spec sheet. Measure children's at one-half inseam minus 1 1/2", and for men's minus 2")	true	Half	3/8 in	-1/4 in	-1/4 in	11 1/2 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Bottom Hem	O.	Bottom Hem	true	Full	0 in	-1/4 in	-1/4 in	9 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joining seam @ center back	false	Half	1/4 in	-1/4 in	-1/4 in	3 1/2 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
DOUBLE KNEE PANEL HEIGHT	DKPH	BOTTOM PANEL TO TOP	true	Full	0 in	-1/4 in	-1/4 in	17 1/2 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
ZIPPER FOR DOUBLE KNEE PANEL	ZFDKP	MEASURE ZIPPER ALONG TOP PART OF DOUBLE KNEE PANEL	true	Full	0 in	-1/4 in	-1/4 in	32 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in	-1/4 in	-1/4 in	13 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in	1/4 in



Sample Size: 32

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	28	30	32	34	36	38	40	42	44
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in	10 1/2 in	10 3/4 in	11 in	11 1/4 in	11 1/2 in	11 3/4 in	12 in	12 1/4 in	12 1/2 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in	27 1/2 in	28 in	28 1/2 in	29 in	29 1/2 in	30 in	30 1/2 in	31 in	31 1/2 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in	38 in	38 1/2 in	39 in	39 1/2 in	40 in	40 1/2 in	41 in	41 1/2 in	42 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	1 in	30 1/2 in	32 1/2 in	34 1/2 in	36 1/2 in	38 1/2 in	40 1/2 in	42 1/2 in	44 1/2 in	46 1/2 in
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in
Knee Width Circumference (Woven)	112	Measure from pant leg edge/seam to pant leg edge/seam at a point one-half of inseam and parallel to leg opening. Reporting half of the circumference measurement. (Note 1: If leg opening is asymmetrical, measure to a point that would be parallel to leg opening. Note 2: If pant leg is three-quarter length, indicate point of measure on spec sheet. Note 3: A general knee measurement from crotch seam of misses/women's 14", juniors 13", or large/plus women's sized 15" can be used. Indicate change on spec sheet. Measure children's at one-half inseam minus 1 1/2", and for men's minus 2")	true	Half	3/8 in	11 in	11 1/4 in	11 1/2 in	11 3/4 in	12 in	12 1/4 in	12 1/2 in	12 3/4 in	13 in
Bottom Hem	O.	Bottom Hem	true	Full	0 in	8 1/2 in	8 3/4 in	9 in	9 1/4 in	9 1/2 in	9 3/4 in	10 in	10 1/4 in	10 1/2 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joining seam @ center back	false	Half	1/4 in	3 in	3 1/4 in	3 1/2 in	3 3/4 in	4 in	4 1/4 in	4 1/2 in	4 3/4 in	5 in
DOUBLE KNEE PANEL HEIGHT	DKPH	BOTTOM PANEL TO TOP	true	Full	0 in	17 in	17 1/4 in	17 1/2 in	17 3/4 in	18 in	18 1/4 in	18 1/2 in	18 3/4 in	19 in
ZIPPER FOR DOUBLE KNEE PANEL	ZFDKP	MEASURE ZIPPER ALONG TOP PART OF DOUBLE KNEE PANEL	true	Full	0 in	31 1/2 in	31 3/4 in	32 in	32 1/4 in	32 1/2 in	32 3/4 in	33 in	33 1/4 in	33 1/2 in



ABOVE ALL DOUBLE KNEE PANTS - Style #AADKP

AM 475 - FA2022, Men's, FA2022, 2022-2023

Size Specifications - Graded Measurements

Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in	12 1/2 in	12 3/4 in	13 in	13 1/4 in	13 1/2 in	13 3/4 in	14 in	14 1/4 in	14 1/2 in
-----------	-----	---	-------	------	--------	-----------	-----------	-------	-----------	-----------	-----------	-------	-----------	-----------

**Sample Size: 32**

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE
Front Rise	107	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of front rise seam	false	Full	3/8 in
Inseam	105	Measure from crotch joining seam to bottom of leg opening, following inseam/inner fold	true	Half	3/8 in
Outseam	106	Measure from bottom edge of waistband/seam to bottom of garment along side seam/fold	true	Half	3/8 in
Waistband Width Circumference (woven)	83	Measure from side of bottom band to side of bottom band along center of band, following natural contour of waistband. Reporting half of the circumference measurement.	false	Half	1 in
Waistband Depth	81	Measure from top of waistband edge straight down to bottom of waistband at waistband joining seam. [Note: If waistband is contoured, indicate measurement change on spec sheet.]	false	Full	1/8 in
Knee Width Circumference (Woven)	112	Measure from pant leg edge/seam to pant leg edge/seam at a point one-half of inseam and parallel to leg opening. Reporting half of the circumference measurement. (Note 1: If leg opening is asymmetrical, measure to a point that would be parallel to leg opening. Note 2: If pant leg is three-quarter length, indicate point of measure on spec sheet. Note 3: A general knee measurement from crotch seam of misses/women's 14", juniors 13", or large/plus women's sized 15" can be used. Indicate change on spec sheet. Measure children's at one-half inseam minus 1 1/2", and for men's minus 2")	true	Half	3/8 in
Bottom Hem	O.	Bottom Hem	true	Full	0 in
Skirt/Pant Yoke Depth Back	104	Measure from bottom of waistband/seam, straight down to bottom of yoke joining seam @ center back	false	Half	1/4 in
DOUBLE KNEE PANEL HEIGHT	DKPH	BOTTOM PANEL TO TOP	true	Full	0 in
ZIPPER FOR DOUBLE KNEE PANEL	ZFDKP	MEASURE ZIPPER ALONG TOP PART OF DOUBLE KNEE PANEL	true	Full	0 in
Back Rise	108	Measure from bottom edge of waistband/seam to crotch joining seam, following curve of back rise seam.	false	Full	3/8 in